MATERIAL SAFETY DATA SHEET West System Inc.

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: WEST SYSTEM $^{\circledR}$ 405 $^{™}$ Filleting Blend.

PRODUCT CODE:405

CHEMICAL FAMILY:

CHEMICAL NAME:

No information.

FORMULA:

No information.

MANUFACTURER:

West System Inc. 102 Patterson Ave. Bay City, MI 48706, U.S.A.

Phone: 866-937-8797 or 989-684-7286

www.westsystem.com

EMERGENCY TELEPHONE NUMBERS:

Transportation

Non-transportation

Poison Hotline:800-222-1222

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

HMIS Hazard Rating: Health - 1 Flammability - 1 Physical Hazards - 0

CAUTION! Avoid excessive inhalation of airborne dust. Excessive airborne dust may create an explosive atmosphere. Light tan, fluffy powder with no odor.

PRIMARY ROUTE(S) OF ENTRY: Inhalation.

POTENTIAL HEALTH EFFECTS:

ACUTE INHALATION: If exposure limits are exceeded, the respiratory tract may become irritated. May cause shortness of breath, coughing, and/or chest tightness due to temporarily physically overloading the lungs.

CHRONIC INHALATION:May aggravate existing respiratory conditions. May cause dryness of mucous membranes of the respiratory tract.

ACUTE SKIN CONTACT: May cause irritation and dryness.

CHRONIC SKIN CONTACT: Repeated exposure may cause dermatitis due to drying of the skin.

INGESTION: No known effects.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:

Skin and respiratory conditions, such as dermatitis and asthma.

3. COMPOSITION/INFORMATION ON INGREDIENTS

 INGREDIENT NAME
 CAS#
 CONCENTRATION

 Cellulose pulp
 65996-61-4
 < 50 %</td>

 Pecan shell flour
 n/a
 < 50 %</td>

 Fumed Amorphous Silica
 112945-52-5
 < 20 %</td>

4. FIRST AID MEASURES

seek medical advice.

FIRST AID FOR SKIN: Wash with soap and water. Apply moisturizing cream to replenish moisture

in the skin if necessary.

FIRST AID FOR INHALATION: Remove to fresh air if effects occur. If effects persists, seek medical

advice.

FIRST AID FOR INGESTION: No specific information.

MSDS 405-11a Last Revised: 06FEB11

No information.

5.	FIRE FIGHTING MEASURES	
	FLASH POINT:	No information.
	EXTINGUISHING MEDIA:	Water, dry powder or carbon dioxide (CO ₂).
	SPECIAL FIRE FIGHTING PROCEDURES:	No specific information.
6.	ACCIDENTAL RELEASE MEASURES	
	SPILL OR LEAK PROCEDURES: a manner that minimizes airborne dust.	Sweep and shovel or use properly grounded vacuum equipment. Do so in
7.	HANDLING AND STORAGE	
	STORAGE TEMPERATURE (min./max.):	0°F (-17°C)/100°F (38°C)
	STORAGE:	Keep dry.
	HANDLING PRECAUTIONS: ground all material handling equipment to prevent static discharge.	Avoid handling that will unnecessarily generate airborne dust. Properly
8.	EXPOSURE CONTROLS/PERSONAL PROTECTION	
	EYE PROTECTION GUIDELINES: level of exposure.	Safety glasses or goggles are recommended, depending on the expected
	SKIN PROTECTION GUIDELINES:be protected by an impervious material to prevent dryness. Barrier c	Areas expected to have repeated exposure, such as hands, may need to reams can be used effectively.
	RESPIRATORY/VENTILATION GUIDELINES:	Work environments should be maintained below applicable exposure level t ventilation. If this is not feasible, use a NIOSH approved dust
	ADDITIONAL PROTECTIVE MEASURES: use. Apply moisturizing cream to replenish moisture if necessary. G measures will greatly minimize the potential for harmful exposure to the state of the	
	OCCUPATIONAL EXPOSURE LIMITS: Permissible Exposure Level (PEL) or the ACGIH Guidelines for inform	This product should be treated as a nuisance dust. Refer to OSHA's nation on specific ingredients.
9.	PHYSICAL AND CHEMICAL PROPERTIES	
	PHYSICAL FORMCOLOR	
	ODOR	
	BOILING POINT	
	MELTING POINT/FREEZE POINT	
	PH	
	SOLUBILITY IN WATERSPECIFIC GRAVITY	
	BULK DENSITY	
	VAPOR PRESSURE	Not applicable.
	VAPOR DENSITY	Not applicable.
	% VOLATILE BY WEIGHT	Zero.
10.	STABILITY AND REACTIVITY	
	VINDERT REPORTED	
	STABILITY:	Stable.
	HAZARDOUS POLYMERIZATION:	
		A chemical reaction is possible with strong bases or hydrofluoric acid.
	DECOMPOSITION PRODUCTS:	Can include carbon monoxide (CO) and carbon dioxide (CO ₂).
11.	TOXICOLOGICAL INFORMATION	

CARCINOGENICITY:	
NTP	No.
IARC	No.
OSHA	No.

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA, NTP or IARC

12. ECOLOGICAL INFORMATION

No information.

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: This material is determined not to be a hazardous waste as per RCRA standards, either by listing or characteristics. Disposer must comply with all federal, state and local laws. Waste product may be sent to a landfill.

14. TRANSPORTATION INFORMATION

DOT

D.O.T. SHIPPING NAME:

TECHNICAL SHIPPING NAME:

D.O.T. HAZARD CLASS:

Not applicable.

U.N./N.A. NUMBER:

Not applicable.

Not applicable.

Not applicable.

Not applicable.

IATA

SHIPPING NAME: Not regulated.
TECHNICAL SHIPPING NAME: Not applicable.
HAZARD CLASS: Not applicable.
U.N. NUMBER: Not applicable.
PACKING GROUP: Not applicable.

15. REGULATORY INFORMATION

OSHA STATUS: Hazardous. Nuisance dust.

TSCA STATUS: All components of this product are in compliance with TSCA Inventory requirements.

Canada WHIMIS Classification:......No data.

SARA TITLE III:

STATE REGULATORY INFORMATION:

The following chemicals are specifically listed or otherwise regulated by individual states. For details on your regulatory requirements you should contact the appropriate agency in your state.

COMPONENT NAME /CAS NUMBER

<u>/CAS NUMBER</u> <u>CONCENTRATION</u> <u>STATE CODE</u> Amorphous Silica

112945-52-5 <15% MA, NJ, RI

16. OTHER INFORMATION

· & 15.
ager
•

Note: The Hazardous Material Indexing System (HMIS), cited in the Emergency Overview of Section 3, uses the following index to assess hazard rating: 0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; and 4 = Severe.

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of West System Inc. The data on this sheet is related only to the specific material designated herein. West System Inc. assumes no legal responsibility for use or reliance upon these data

MSDS 405-11a Last Revised: 06FEB11