

Material Safety Data Sheet
According to 91/155 EEC

Printing date 19.03.2004

Reviewed on 21.02.2003




1 Identification of the substance/preparation and of the company/undertaking

- Product details
- Trade name: Epifanes Fibreglass Prep Cleaner
- Application of the substance / the preparation
Degreaser
For degreasing fibreglass
- Manufacturer/Supplier:
W.HEEREN & ZOON BV
Postbus 166
1430 AD Aalsmeer
tel. +31-297-360366
fax. +31-297-342078
- Further information obtainable from: Department Research & Development
- Information in case of emergency: See under Manufacturer/Supplier

2 Composition/information on ingredients

- Chemical characterization
- Description: Solvent mixture

• Dangerous components:

CAS: 1330-20-7 EINECS: 215-535-7	xylene  Xn; R 10-20/21-38	60.0%
CAS: 108-65-6 EINECS: 203-603-9	2-methoxy-1-methylethyl acetate  Xi; R 10-36	39.84%
CAS: 70657-70-4 EINECS: 274-724-2	2-methoxypropyl acetate  T; R 61-10-37	0.16%

- Additional information:
For the wording of the listed risk phrases refer to section 16.

3 Hazards identification

- Hazard description:



Xn Harmful

- Information concerning particular hazards for human and environment:
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
R 10 Flammable.
R 20/21 Harmful by inhalation and in contact with skin.
R 36/38 Irritating to eyes and skin.
R 65 Harmful: may cause lung damage if swallowed.
- Classification system:
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

4 First-aid measures

- General information:
Take affected persons out into the fresh air.
Do not leave affected persons unattended.

(Contd. on page 2)

Material Safety Data Sheet
According to 91/155 EEC

Printing date 19.03.2004

Reviewed on 21.02.2003

Trade name: Epifanes Fibreglass Prep Cleaner

(Contd. of page 1)

- After inhalation:
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
- After skin contact:
Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:
Do not induce vomiting; call for medical help immediately.

5 Fire-fighting measures

- Suitable extinguishing agents:
CO₂, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents:
Water
Water with full jet
- Protective equipment: Wear fully protective suit.

6 Accidental release measures

- Person-related safety precautions: Ensure adequate ventilation
- Measures for environmental protection:
Do not allow to enter sewers/ surface or ground water.
- Measures for cleaning/collecting:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.

7 Handling and storage

- Handling:
- Information for safe handling:
Ensure good ventilation/exhaustion at the workplace.
Keep away from heat and direct sunlight.
- Information about fire - and explosion protection:
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- Storage:
- Requirements to be met by storerooms and receptacles:
Store only in the original receptacle.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
Protect from heat and direct sunlight.

8 Exposure controls/personal protection

- Additional information about design of technical facilities:
No further data; see item 7.

(Contd. on page 3)

Material Safety Data Sheet
According to 91/155 EEC

Printing date 19.03.2004

Reviewed on 21.02.2003

Trade name: Epifanes Fibreglass Prep Cleaner

(Contd. of page 2)

• Ingredients with limit values that require monitoring at the workplace:	
Xylene	
OES	Short-term value: 441 mg/m ³ , 100 ppm Long-term value: 220 mg/m ³ , 50 ppm Sk
108-65-6 2-methoxy-1-methylethyl acetate	
OES	Short-term value: 548 mg/m ³ , 100 ppm Long-term value: 274 mg/m ³ , 50 ppm IOELV, Sk

- Additional information:
The lists valid during the making were used as basis.
- Personal protective equipment:
- General protective and hygienic measures:
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
Do not inhale gases / fumes / aerosols.
Avoid contact with the eyes and skin.
- Respiratory protection:
Suitable respiratory protective device recommended.
- Protection of hands:



Protective gloves

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

- Material of gloves
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- Penetration time of glove material
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection: Safety glasses

9 Physical and chemical properties

• General Information

Form:	Fluid
Colour:	According to product specification
Odour:	Characteristic

• Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	> 139°C

• Flash point:	> 25°C
----------------	--------

• Ignition temperature:	315°C
-------------------------	-------

• Self-igniting:	Product is not selfigniting.
------------------	------------------------------

(Contd. on page 4)

Material Safety Data Sheet
According to 91/155 EEC

Printing date 19.03.2004

Reviewed on 21.02.2003

Trade name: Epifanes Fibreglass Prep Cleaner

(Contd. of page 3)

• Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
• Explosion limits:	
Lower:	1.1 Vol %
Upper:	10.8 Vol %
• Vapour pressure at 20°C:	6.7 hPa
• Density at 20°C:	0.93 g/cm ³
• Solubility in / Miscibility with water:	Partly soluble.
• Viscosity:	
Kinematic at 20°C:	0.9 mm ² /s
• Solvent content:	
Organic solvents:	100.0 %

10 Stability and reactivity

- Thermal decomposition / conditions to be avoided:
No decomposition if used according to specifications.
- Dangerous reactions No dangerous reactions known.
- Dangerous decomposition products: Flammable gases/vapours

11 Toxicological information

- Acute toxicity:

- LD/LC50 values relevant for classification:
1330-20-7 xylene

Oral	LD50	4300 mg/kg (rat)
Dermal	LD50	2000 mg/kg (rabbit)

- Primary irritant effect:
 - on the skin: Irritant to skin and mucous membranes.
 - on the eye: Irritating effect.
- Sensitization:
 - Sensitization possible through inhalation.
 - Sensitization possible through skin contact.
- Additional toxicological information:
 - The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
 - Vapours have narcotic effect.

12 Ecological information

- General notes:
 - Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
 - Do not allow product to reach ground water, water course or sewage system.

(Contd. on page^{GB}5)

Material Safety Data Sheet
According to 91/155 EEC

Printing date 19.03.2004

Reviewed on 21.02.2003

Trade name: Epifanes Fibreglass Prep Cleaner

(Contd. of page 4)

13 Disposal considerations

- Product:
- Recommendation
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packaging:
- Recommendation:
Disposal must be made according to official regulations.
- Recommended cleansing agents:
Water, if necessary together with cleansing agents.

14 Transport information

- Land transport ADR/RID (cross-border)



- ADR/RID class: 3 F1 Flammable liquids.
- Danger code (Kemler): 30
- UN-Number: 1263
- Packaging group: III
- Hazard label 3
- Description of goods: 1263 PAINT RELATED MATERIAL (not viscous)

- Maritime transport IMDG:



- IMDG Class: 3
- UN Number: 1263
- Label 3
- Packaging group: III
- EMS Number: F-E,S-E
- Marine pollutant: No
- Proper shipping name: PAINT RELATED MATERIAL

- Air transport ICAO-TI and IATA-DGR:



- ICAO/IATA Class: 3
- UN/ID Number: 1263
- Label 3
- Packaging group: III
- Proper shipping name: PAINT RELATED MATERIAL

15 Regulatory information

- Labelling according to EU guidelines:
The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

(Contd. on page 6)

Material Safety Data Sheet
According to 91/155 EEC

Printing date 19.03.2004

Reviewed on 21.02.2003

Trade name: Epifanes Fibreglass Prep Cleaner

(Contd. of page 5)

- Code letter and hazard designation of product:
Xn Harmful
 - Hazard-determining components of labelling:
xylene
2-methoxy-1-methylethyl acetate
 - Risk phrases:
10 Flammable.
20/21 Harmful by inhalation and in contact with skin.
36/38 Irritating to eyes and skin.
65 Harmful: may cause lung damage if swallowed.
 - Safety phrases:
2 Keep out of the reach of children.
7/9 Keep container tightly closed and in a well-ventilated place.
36/37 Wear suitable protective clothing and gloves.
46 If swallowed, seek medical advice immediately and show this container or label.
 - National regulations:
 - Technical instructions (air):
- | Class | Share in % |
|-------|------------|
| II | 60.0 |
| III | 39.8 |
- Waterhazard class:
Water hazard class 2 (Self-assessment): hazardous for water.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant R-phrases
10 Flammable.
20/21 Harmful by inhalation and in contact with skin.
36 Irritating to eyes.
37 Irritating to respiratory system.
38 Irritating to skin.
61 May cause harm to the unborn child.
- Department issuing MSDS: Department Research & Development
- Contact: T.J.H.M. van Steenes